





Ovarian Cancer Ranks Fifth in Cancer Deaths Among Women¹

The disease causes more deaths than any other gynecologic cancer in the United States.¹




MORE THAN 22,000 WOMEN WILL BE DIAGNOSED WITH OVARIAN CANCER IN THE U.S. IN 2016¹

In addition, **more than 14,000** women will die from the disease in the U.S. in 2016¹

ABOUT 1 IN 75
The approximate risk of a woman of getting ovarian cancer during her lifetime¹

Many Women Don’t Know the Signs and Symptoms¹


Common signs and symptoms to watch out for include:



BLOATING



PELVIC OR ABDOMINAL PAIN



TROUBLE EATING OR FEELING FULL QUICKLY



FEELING THE NEED TO URINATE URGENTLY OR OFTEN


There Are Different Classifications²

Ovarian cancer that returns after platinum-based chemotherapy can be classified in two ways:



PLATINUM-RESISTANT

When a relapse happens **less than 6 months** after the last chemotherapy treatment



PLATINUM-SENSITIVE

When a relapse happens **at least 6 months** after the last chemotherapy treatment

For more information and to learn about the latest treatment options, consult your doctor, or visit www.ovarian.org.

REFERENCES

1. Ovarian Cancer. American Cancer Society; 2016 <http://www.cancer.org/acs/groups/cid/documents/webcontent/003130-pdf.pdf>.
2. Ovarian Cancer. National Comprehensive Cancer network; 2015 <https://www.nccn.org/patients/guidelines/ovarian/files/assets/common/downloads/files/ovarian.pdf>.